

UK

INSTRUCTION MANUAL



ROSAGATE[®] PROFESSIONAL KIT

FOR SENSITIVE AND INTOLERANT SKIN PRONE TO COUPEROSE

**VIALBRUSH
SYSTEM**

PROFESSIONAL SPECIALTIES



TEBITECH
Technologies and Biotechnologies
for dermatology and plastic surgery





ROSAGATE® PROFESSIONAL KIT

ROSAGATE® Professional is a dermo-functional protocol for professional use to improve the appearance and keep couperose-prone skin in good condition. Its specific action effectively counteracts intermittent or permanent redness, whether widespread or localised, even when characterised by high intensity. **ROSAGATE® Professional** counteracts the visibility of small superficial vessels, particularly visible in the zygomatic portion of the face.

ROSAGATE® Professional, thanks to its marked soothing property, is able to diminish the perception of unpleasant sensations, such as itching and burning, typical symptoms of sensitive, intolerant and hyper-reactive skin as well. Its special action is aimed at increasing the skin's tolerance threshold.

1. DESCRIPTION OF THE KIT COMPONENTS

ROSAGATE® Professional kit contains:

- **PS-R Preparatory Solution:** Sachets containing wipes soaked in a cleansing solution to be used to remove any sebum accumulation and thus allowing an even application of the functional emulsion on the skin. (box N°1).
- **ROSAGATE® Functional emulsion** (hereafter also referred to as "functional emulsion"): a two-phase fluid system contained within re-sealable ampoules (box N°2). The vials are marked with a graduated scale, this allows the person who applies the product to view the amount of functional emulsion used.
- **APPLICATOR:** disposable brush to be placed on the head of the vial (box N°3). The system consisting of brush applicator placed on the vial is called **VIALBRUSH**.
- **TEBISKIN® ROSAGATE-MASK Leave-on Hidden Gel-Mask:** functional mask contained in practical 2.5 ml single-dose sachets to be used at the end of the procedure (box N° 4).

2. HOW TO USE THE VIALS

ROSAGATE® Functional emulsion

1. *Exert the necessary force to detach the vial to be used from the adjacent ones without causing the unintentional removal of the sealing capsule; the vials are sealed together at the body and the head;*
2. *remove the sealing capsule by holding the vial vertically (with the opening facing upwards): hold the body of the vial with one hand, and with the other one remove the sealing capsule with a rotating movement, ensuring that the pressure exerted on the body of the vial does not cause the contents to spill out (if so please hold the*

vial at the top, near the opening);

3. *after removing the sealing capsule, if the brush applicator is not immediately placed, reseal the vial with the previously removed sealing capsule;*
4. *insert the brush applicator: take the brush applicator from the work surface and place it, exerting the necessary pressure, on the head of the vial, making sure that it remains firmly attached to it;*
5. *after inserting the brush applicator, place the sealing capsule on a nearby shelf so that it can be easily used to re-close the vial.*

3. HOW TO CARRY OUT THE DERMO-FUNCTIONAL PROCEDURE

The dermo-functional procedure consists of 3 steps:

1. Preparation of the skin for the application of **ROSAGATE® Functional emulsion** using **PS-R Preparatory Solution**;
2. Application of **ROSAGATE® Functional emulsion**;
3. Complete the procedure by applying the functional mask **TEBISKIN® ROSAGATE-MASK Leave-on Hidden Gel-Mask**.

3.1. Description of the procedure

1. Place the patient on the couch in a supine position with the back of the couch inclined by 15° to prevent the functional emulsion from unintentionally dripping downwards and, for example, coming into contact with eyes or vermillion;
2. protect the eyes with suitable material, such as eye gauze pads, possibly soaked in saline solution;
3. remove **PS-R Preparatory Solution** wipe and rub it gently to delipidify the skin areas to be treated.;
4. remove the sealing capsule and place the brush applicator on the head of the ampoule, exerting the necessary pressure in order to securely attach the applicator to the head of the ampoule;
5. in order to use the **VIALBRUSH®** ampoule correctly and to check the homogeneity of the product outflow, before starting the dermo-functional procedure, it is advisable to carry-out a test on the back of the operator's hand, wearing a protective glove and soaking the brush applicator with the solution;
6. apply the functional emulsion on the skin areas to be treated by exerting a slight pressure on the vial so that the product can flow out. Spread the functional emulsion evenly over the entire affected skin area. Leave on for 10-15 minutes;
7. at the end of the procedure, remove the brush applica-



ROSAGATE® PROFESSIONAL KIT

tor from the head of the ampoule and seal it using the sealing capsule (dispose of the brush applicator in a safe place, in suitable containers for disposal);

8. after the application time has passed, apply the contents of a sachet of **TEBISKIN® ROSAGATE-MASK Leave-on Hidden Gel-Mask** (2,5 ml) massaging gently to evenly spread the product on the skin;
9. at the end of the dermo-functional procedure, dispose of the used material according to specific European, National and Local regulations on environmental protection.

- *Pregnancy (in which case the product may be used, should the doctor deem it necessary, from the fourth month of pregnancy).*

3.2. Mode and frequency of use

Quantity of **ROSAGATE® Functional emulsion** to be used per single dermo-functional procedure: It is advisable to use 1-2 ml of functional emulsion depending on the skin area to be treated.

If the solution contained in the ampoules is not fully used, the ampoule must be firmly closed again with the sealing capsule. The ampoules can be used within a period of 90 days from the date of first opening.

3.3. Planning of the dermo-functional procedure with ROSAGATE® Professional

The achievable benefits are statistically significant already after two dermo-functional procedures, approximately 5-10 days apart. Further procedures, always keeping an interval of 5-10 days, can be performed depending on the desired result and the severity of the subject's skin condition.

4. GENERAL PRECAUTIONS FOR USE

- Store the product in a cool, dry place, protected from light and away from heat sources.
- Store the product and any accessories contained in the kit in a safe place, out of reach of children.
- After using **ROSAGATE® Functional emulsion**, at the end of the procedure, remove the applicator and close the vial with the sealing capsule (even if the contents of the ampoule have been completely used).
- After the procedure, place each kit component in its original packaging-.
- During the dermo-functional procedure, always wear appropriate protection (gown, gloves, mask, etc.).
- Dispose of used and no longer reusable accessories according to specific national and local regulations on environment protection and waste disposal.

4.1. Exclusion criteria: When not to carry out the functional procedure:

- *Known or foreseeable intolerance to one or more product ingredients.*

TEBITECH

Technologies and Biotechnologies
for dermatology and plastic surgery



General Topics s.r.l.
25087 Salò (BS) - ITALIA
Tel. +39 0365 529117 • Fax +39 0365 522619
web: www.tebitech.com • e-mail: info@tebitech.com
www.general-topics.com

www.tebitech.com